

RF 100-400mm f5.6-8 IS USM

TECHNICAL SPECIFICATIONS



Canon

RF 100-400mm f5.6-8 IS USM

A Compact and Lightweight Telephoto Zoom Lens



RF 1.4x and RF 2x extender support

Enjoy shooting even further when pairing the RF 100-400mm f/5.6-8 IS USM lens with the RF 1.4x and RF 2x extenders, allowing you to shoot up to 800mm on the compact and light lens.



Take big photos of small plants and animals

The RF 100-400mm f/5.6-8 IS USM has a maximum magnification of 0.41x (at 400mm) allowing you to shoot small details from afar, utilising the compression effect of the zoom.



Stable images even with handheld shooting

The 5.5-stop in built Image Stabiliser within the lens reduces camera shake and allows you to take sharp images with hand-held shooting, even at 400mm.



Fast and quiet autofocus

The RF 100-400mm f/5.6-8 IS USM is equipped with a quiet and high-speed Nano USM. Its smooth and accurate auto focus capabilities makes tracking moving subjects easy - especially when capturing videos.



Canon

RF 100-400mm f/5.6-8 IS USM | SPECIFICATIONS

RF 100-400mm f5.6-8 IS USM	
Mount	RF
Focal Length	100-400mm
Maximum Aperture	f/5.6 (W) – f/8 (T)
Minimum Focusing Distance	0.88 (at 200mm)
Maximum Magnification	0.41x (at 400mm)
Lens Construction	12 elements in 9 groups
Filter Size Diameter	67mm
Aperture Blades	9
Image Stabilization	5.5 stops
Dimensions	Approx. 79.5mm x 164.7mm
Weight	Approx. 635g
Lens Hood	ET-74B (Sold separately)
Lens Cap	E-67II (Supplied)
Lens Pouch	LP1224 (Sold separately)

Canon

www.canon.com.au